



NOTES

1. The access and visibility splays' dimensions to be as conditioned in granted planning permission. Where 10m radius is not considered appropriate, the access dimensions to be determined by swept path analysis of agricultural vehicle into the site.
2. It is an OFFENCE to carry out works within the public highway without the permission Suffolk County Council as the Highway Authority.
3. Grasscrete to extend into the site 15m from channel of carriageway. Any access gates are to be 15m minimum from the edge of carriageway and to opening inwards, away from the highway.
4. To prevent private surface water from entering the highway, the highway boundary is to be the highpoint; where this is not possible, drainage is required within private land.
5. For a field access, a Minor Works Application is required.
6. Applicants are reminded that utility apparatus may be affected by the proposed works and it is a legal requirement that they or the contractor contacts the owner of the apparatus prior to work starting.
7. Access to be kerbed for the extent of the radius and visibility splays, unless otherwise agreed with SCC Engineer.
8. Proprietary grass blocks 100mm thick natural gray coloured concrete grass-block units. Cavities filled 50% of depth with topsoil and grass seeded. Minimum cavity dimension be 100 x 100mm.
9. Grass seed shall be to the SCC Construction specification.

DRAWING TITLE

DEVELOPMENT MANAGEMENT
AGRICULTURAL ACCESS WITH GRASSCRETE

REV.	DESCRIPTION	CHECKED	DATE
A	MINOR CHANGES IN NOTES	SH	08/2025

INIT.	DATE	PROJECT TITLE
ORIGINATOR	RY 07/2024	STANDARD CONSTRUCTION DETAILS
CHECKER	SH 07/2024	SCALE
DESIGNER	RY 07/2024	N.T.S.
REVIEWER	TK 07/2024	DATE
		JUL. 2024
		DRAWING No.
		DM-000-07A