


Maximum bay size:
3.0m x 4.5m


NOTES

1. Width of footway and layout indicated on scheme plans.
2. Footways shall have a min 2.5% (1:40), max. 8.3% (1:12) crossfall towards the carriageway unless otherwise indicated on the scheme plans.
3. Exposed edges shall be ariss trowelled.
4. Full width of formation to be treated with an approved residual root and foliage absorbed herbicide.



Maximum bay size:
5.0m x 5.0m

High performance sealer



Bitumen impregnated fibre board joint filler

Joint pattern to be approved before construction

JOINT DETAIL FOR RIGID CONSTRUCTION



Growth, Highways & Infrastructure
Suffolk County Council
Endeavour House
8 Russell Road
Ipswich
Suffolk IP1 2BX

DRAWING TITLE
KERBS, FOOTWAYS, CYCLEWAYS AND PAVED AREAS
FOOTWAYS
FOOTWAY CONSTRUCTION (RIGID)

REV.	DESCRIPTION	CHECKED	DATE
A	MINOR CHANGES IN NOTES	CB	12/2025

ORIGINATOR	INIT.	DATE	PROJECT TITLE	
RY	RY	07/2024	STANDARD CONSTRUCTION DETAILS	
CHECKER	SH	07/2024	SCALE	DATE
DESIGNER	RY	07/2024	N.T.S.	JUL. 2024
REVIEWER	TK	07/2024	DRAWING No. DM -1100-16A	