


**NOTES**

1. Minimum width of block paved maintenance strip is 0.5m. If area is to be street lit, the strips are to be 1m wide the entire shared surface length.
2. Width of maintenance strip as indicated on the scheme plans.
3. Maintenance strip construction to be same as adjacent carriageway construction.



File Path R:\Transport & Infrastructure\Dev Mgmt\DM Drawings\DM ACAD 2023\DM-1100-17 Shar sur. road.dwg



Growth, Highways & Infrastructure  
 Suffolk County Council  
 Endeavour House  
 8 Russell Road  
 Ipswich  
 Suffolk IP1 2BX

**DRAWING TITLE**  
 KERBS, FOOTWAYS, CYCLEWAYS AND PAVED AREAS  
 SHARED SURFACE ROAD  
 WITH MAINTENANCE STRIP

REV.	DESCRIPTION	CHECKED	DATE
A	MINOR CHANGES IN NOTES	CB	12/2025

	INIT.	DATE	PROJECT TITLE	
ORIGINATOR	RY	07/2024	STANDARD CONSTRUCTION DETAILS	
CHECKER	SH	07/2024	SCALE	DATE
DESIGNER	RY	07/2024	N.T.S.	JUL. 2024
REVIEWER	TK	07/2024	DRAWING No. DM-1100-17A	