




NOTES

1. It is an offence to carry out any works within the public highway without permission of the Highway Authority.
2. Any conditions which the Local Planning Authority may give referring to this drawing do NOT give the applicant permission to carry out works within the Public Highway.
3. Unless otherwise agreed in writing all works within the Highway will be carried out by the County Council at the applicant's expense.
4. To gain permission to construct, Suffolk Highways must be contacted. Information is shown opposite.
5.   Area to be constructed to the satisfaction of the Local Planning Authority in consultation with the County Council as Highway Authority.
6. Sustainable drainage is required to prevent surface water entering the Highway.
7. Gate should be set back at least 5m from channel of carriageway and open inwards.
8. Where the footway width is 1.8m or greater, a pedestrian friendly route shall be provided as wide as possible within the following constraints: The pedestrian friendly route should have a maximum gradient of 1 in 40 and should be at least 0.9m in width. The up ramp should have a gradient of between 1 in 12 and 1 in 20 (over a maximum width of 1.5m).
9.  Area to be properly surfaced with a bound material min of 5m from edge of highway boundary.

		Single access	Shared access
Entrance Width	V	3	4.5

CONTACT INFORMATION

Contact Suffolk Highways via:
customer.service@suffolk.gov.uk or
tel: 0345 606 6067



Growth, Highways and Infrastructure
Suffolk County Council
Endeavour House,
8 Russell Road
Ipswich
IP1 2BX

DOMESTIC VEHICULAR ACCESS LAYOUT
(where footway width >1.8m and setback/
restricted frontage height secure visibility)

REV.	DESCRIPTION	CHECKED	DATE
A	Contact information changed	SM	08/17

INIT.	DATE	PROJECT TITLE	
ORIGINATOR	BC	04/15	DEVELOPMENT MANAGEMENT
CHECKER	SDB	04/15	DRAWINGS
DESIGNER	BC	04/15	SCALE
REVIEWER	CAG	04/15	DATE
			Not to Scale
			April 2015
			DRAWING No.
			DM14